

SPECIFICATIONS

- Current Rating: 3A
- Insulator: Glass Filled PBT UL94V-0
- Contact: Phosphor Bronze or Brass
- Plating: Mating Area-G/F Gold Over Nickel
Solder Area-Tin Over Nickel
- Contact Resistance: 20mΩ max
- Insulation Resistance: 5000 MΩ min at 500 VDC
- Withstanding: 1000 V-AC/1 min
- Insertion Force: 340g max per pair
- Withdrawal Force: 28g min per pair
- Operating Temp: -55°C to 85°C

Series	Type	Positions	Mounting	Contact Material	Plating	Options
CCE	SA	XX	XX	X	SG	XX
Card edge connector	Type SA	06-72	ST=Straight RA=Right angle SD=Straddle tail	P=Phos Bronze B=Brass	SG=Selective Gold	[blank]=None KT=Kinked tail MER=Mounting ears







RoHS compliant

Rev.	Description	Date	Approved	Drawing	Name	Date
				Approved	Howard	07/07/06
				Checked	Lizzy	07/07/06
				Drawn	Tina	07/07/06
				0.0 ± 0.35	0.00 ± 0.20	Angles ± 3'
				UNIT: mm		

Central Components Manufacturing
 440 Lincoln Blvd., Middlesex, New Jersey 08846
 Phone 732 469-5720 888 288-5152 Fax 732 469-1919

Part No.: **CCE-SA-XX-XX-X-SG-XX**

Description: Card edge connector, 2.54mm x 5.08mm

	1	2	3	4	5	6	7	8	9																																																																																																																																																																																	
A										A																																																																																																																																																																																
B	<table border="1"> <thead> <tr> <th>Circuits</th><th>A</th><th>B</th><th>C</th><th>Circuits</th><th>A</th><th>B</th><th>C</th></tr> </thead> <tbody> <tr><td>6</td><td>5.08</td><td>10.66</td><td>14.22</td><td>48</td><td>58.42</td><td>64.00</td><td>67.56</td></tr> <tr><td>8</td><td>7.62</td><td>13.20</td><td>16.76</td><td>50</td><td>60.96</td><td>66.54</td><td>70.10</td></tr> <tr><td>10</td><td>10.16</td><td>15.74</td><td>19.30</td><td>52</td><td>63.50</td><td>69.08</td><td>72.64</td></tr> <tr><td>12</td><td>12.70</td><td>18.28</td><td>21.84</td><td>54</td><td>66.04</td><td>71.62</td><td>75.18</td></tr> <tr><td>14</td><td>15.24</td><td>20.82</td><td>24.38</td><td>56</td><td>68.58</td><td>74.16</td><td>77.72</td></tr> <tr><td>16</td><td>17.78</td><td>23.36</td><td>26.92</td><td>58</td><td>71.12</td><td>76.70</td><td>80.26</td></tr> <tr><td>18</td><td>20.32</td><td>25.90</td><td>29.46</td><td>60</td><td>73.66</td><td>79.24</td><td>82.80</td></tr> <tr><td>20</td><td>22.86</td><td>28.44</td><td>32.00</td><td>62</td><td>76.20</td><td>81.78</td><td>85.34</td></tr> <tr><td>22</td><td>25.40</td><td>30.98</td><td>34.54</td><td>64</td><td>78.74</td><td>84.32</td><td>87.88</td></tr> <tr><td>24</td><td>27.94</td><td>33.52</td><td>37.08</td><td>66</td><td>81.28</td><td>86.86</td><td>90.42</td></tr> <tr><td>26</td><td>30.48</td><td>36.06</td><td>39.62</td><td>68</td><td>83.82</td><td>89.40</td><td>92.96</td></tr> <tr><td>28</td><td>33.02</td><td>38.60</td><td>42.16</td><td>70</td><td>86.36</td><td>91.94</td><td>95.50</td></tr> <tr><td>30</td><td>35.56</td><td>41.14</td><td>44.70</td><td>72</td><td>88.90</td><td>94.48</td><td>98.04</td></tr> <tr><td>32</td><td>38.10</td><td>43.68</td><td>47.24</td><td></td><td></td><td></td><td></td></tr> <tr><td>34</td><td>40.64</td><td>46.22</td><td>49.78</td><td></td><td></td><td></td><td></td></tr> <tr><td>36</td><td>43.18</td><td>48.76</td><td>52.32</td><td></td><td></td><td></td><td></td></tr> <tr><td>38</td><td>45.72</td><td>51.30</td><td>54.86</td><td></td><td></td><td></td><td></td></tr> <tr><td>40</td><td>48.26</td><td>53.84</td><td>57.40</td><td></td><td></td><td></td><td></td></tr> <tr><td>42</td><td>50.80</td><td>56.38</td><td>59.94</td><td></td><td></td><td></td><td></td></tr> <tr><td>44</td><td>53.34</td><td>58.92</td><td>62.48</td><td></td><td></td><td></td><td></td></tr> <tr><td>46</td><td>55.88</td><td>61.46</td><td>65.02</td><td></td><td></td><td></td><td></td></tr> </tbody> </table>									Circuits	A	B	C	Circuits	A	B	C	6	5.08	10.66	14.22	48	58.42	64.00	67.56	8	7.62	13.20	16.76	50	60.96	66.54	70.10	10	10.16	15.74	19.30	52	63.50	69.08	72.64	12	12.70	18.28	21.84	54	66.04	71.62	75.18	14	15.24	20.82	24.38	56	68.58	74.16	77.72	16	17.78	23.36	26.92	58	71.12	76.70	80.26	18	20.32	25.90	29.46	60	73.66	79.24	82.80	20	22.86	28.44	32.00	62	76.20	81.78	85.34	22	25.40	30.98	34.54	64	78.74	84.32	87.88	24	27.94	33.52	37.08	66	81.28	86.86	90.42	26	30.48	36.06	39.62	68	83.82	89.40	92.96	28	33.02	38.60	42.16	70	86.36	91.94	95.50	30	35.56	41.14	44.70	72	88.90	94.48	98.04	32	38.10	43.68	47.24					34	40.64	46.22	49.78					36	43.18	48.76	52.32					38	45.72	51.30	54.86					40	48.26	53.84	57.40					42	50.80	56.38	59.94					44	53.34	58.92	62.48					46	55.88	61.46	65.02					B
Circuits	A	B	C	Circuits	A	B	C																																																																																																																																																																																			
6	5.08	10.66	14.22	48	58.42	64.00	67.56																																																																																																																																																																																			
8	7.62	13.20	16.76	50	60.96	66.54	70.10																																																																																																																																																																																			
10	10.16	15.74	19.30	52	63.50	69.08	72.64																																																																																																																																																																																			
12	12.70	18.28	21.84	54	66.04	71.62	75.18																																																																																																																																																																																			
14	15.24	20.82	24.38	56	68.58	74.16	77.72																																																																																																																																																																																			
16	17.78	23.36	26.92	58	71.12	76.70	80.26																																																																																																																																																																																			
18	20.32	25.90	29.46	60	73.66	79.24	82.80																																																																																																																																																																																			
20	22.86	28.44	32.00	62	76.20	81.78	85.34																																																																																																																																																																																			
22	25.40	30.98	34.54	64	78.74	84.32	87.88																																																																																																																																																																																			
24	27.94	33.52	37.08	66	81.28	86.86	90.42																																																																																																																																																																																			
26	30.48	36.06	39.62	68	83.82	89.40	92.96																																																																																																																																																																																			
28	33.02	38.60	42.16	70	86.36	91.94	95.50																																																																																																																																																																																			
30	35.56	41.14	44.70	72	88.90	94.48	98.04																																																																																																																																																																																			
32	38.10	43.68	47.24																																																																																																																																																																																							
34	40.64	46.22	49.78																																																																																																																																																																																							
36	43.18	48.76	52.32																																																																																																																																																																																							
38	45.72	51.30	54.86																																																																																																																																																																																							
40	48.26	53.84	57.40																																																																																																																																																																																							
42	50.80	56.38	59.94																																																																																																																																																																																							
44	53.34	58.92	62.48																																																																																																																																																																																							
46	55.88	61.46	65.02																																																																																																																																																																																							
C										C																																																																																																																																																																																
D										D																																																																																																																																																																																
E										E																																																																																																																																																																																
F										F																																																																																																																																																																																
G	<table border="1"> <thead> <tr> <th>Rev.</th><th>Description</th><th>Date</th><th>Approved</th><th>Drawing</th><th>Name</th><th>Date</th><th colspan="3">  Central Components Manufacturing 440 Lincoln Blvd., Middlesex, New Jersey 08846 Phone 732 469-5720 888 288-5152 Fax 732 469-1919 </th></tr> </thead> <tbody> <tr> <td></td><td></td><td></td><td></td><td>Approved</td><td>Howard</td><td>07/07/06</td><td colspan="3">Part No.: CCE-SA-XX-XX-X-SG-XX</td></tr> <tr> <td></td><td></td><td></td><td></td><td>Checked</td><td>Lizzy</td><td>07/07/06</td><td colspan="3">Description: Card edge connector, 2.54mm x 5.08mm</td></tr> <tr> <td></td><td></td><td></td><td></td><td>Drawn</td><td>Tina</td><td>07/07/06</td><td colspan="3"></td></tr> <tr> <td></td><td></td><td></td><td></td><td>0.0 ± 0.35</td><td>0.00 ± 0.20</td><td>Angles ± 3'</td><td colspan="3"></td></tr> <tr> <td></td><td></td><td></td><td></td><td></td><td>UNIT: mm</td><td></td><td colspan="3"></td></tr> </tbody> </table>									Rev.	Description	Date	Approved	Drawing	Name	Date	 Central Components Manufacturing 440 Lincoln Blvd., Middlesex, New Jersey 08846 Phone 732 469-5720 888 288-5152 Fax 732 469-1919							Approved	Howard	07/07/06	Part No.: CCE-SA-XX-XX-X-SG-XX							Checked	Lizzy	07/07/06	Description: Card edge connector, 2.54mm x 5.08mm							Drawn	Tina	07/07/06								0.0 ± 0.35	0.00 ± 0.20	Angles ± 3'									UNIT: mm					G																																																																																																																				
Rev.	Description	Date	Approved	Drawing	Name	Date	 Central Components Manufacturing 440 Lincoln Blvd., Middlesex, New Jersey 08846 Phone 732 469-5720 888 288-5152 Fax 732 469-1919																																																																																																																																																																																			
				Approved	Howard	07/07/06	Part No.: CCE-SA-XX-XX-X-SG-XX																																																																																																																																																																																			
				Checked	Lizzy	07/07/06	Description: Card edge connector, 2.54mm x 5.08mm																																																																																																																																																																																			
				Drawn	Tina	07/07/06																																																																																																																																																																																				
				0.0 ± 0.35	0.00 ± 0.20	Angles ± 3'																																																																																																																																																																																				
					UNIT: mm																																																																																																																																																																																					
	1	2	3	4	5	6	7	8	9																																																																																																																																																																																	