



SPECIFICATIONS

Current Rating: 3A
 Contact Resistance: 20 mΩ max
 Insulation Resistance: 5000 MΩ min at 500 VDC
 Withstanding: 1000 V-AC/1 min
 Insulator: Glass Fiber PBT UL94V-0
 Contact: Phosphor Bronze or Brass
 Plating: Gold Plating Over Nickel
 Insertion Force: 340g max per pair
 Withdrawal Force: 28g min per pair
 Operating Temp: -55C to 105C



Series	Type	Positions	Mounting	Contact Material	Plating	Options
CCE	SB	XX	XX	X	SG	XX
Card edge connector	Type SB	06-120	ST=Straight RA=Right angle SD=Straddle tail	P=Phos Bronze B=Brass	GDXX=Gold XX:[blank]=Flash, 3, 10, 15 μ"	[blank]=None KT=Kinked tail MER=Mounting ears










RoHS compliant

Rev.	Description	Date	Approved	Drawing	Name	Date
				Approved	Howard	07/07/06
				Checked	Lizzy	07/07/06
				Drawn	Tina	07/07/06
				0.0 ± 0.35	0.00 ± 0.20	Angles ± 3'
				UNIT: mm		

Central Components Manufacturing
 440 Lincoln Blvd., Middlesex, New Jersey 08846
 Phone 732 469-5720 888 288-5152 Fax 732 469-1919

Part No.: **CCE-SB-XX-XX-X-GDXX-XX**

Description: Card edge connector, 2.54mm x 5.08mm

	1	2	3	4	5	6	7	8	9																																																																																																																																																																																																																																																			
A										A																																																																																																																																																																																																																																																		
B	<table border="1"> <thead> <tr> <th>Circuits</th><th>A</th><th>B</th><th>C</th><th>D</th><th></th><th>Circuits</th><th>A</th><th>B</th><th>C</th><th>D</th></tr> </thead> <tbody> <tr><td>6</td><td>5.08</td><td>10.16</td><td>14.22</td><td>11.62</td><td></td><td>48</td><td>58.42</td><td>63.50</td><td>67.56</td><td>64.96</td></tr> <tr><td>8</td><td>7.62</td><td>12.70</td><td>16.76</td><td>14.16</td><td></td><td>50</td><td>60.96</td><td>66.04</td><td>70.10</td><td>67.50</td></tr> <tr><td>10</td><td>10.16</td><td>15.24</td><td>19.30</td><td>16.70</td><td></td><td>52</td><td>63.50</td><td>68.58</td><td>72.64</td><td>70.04</td></tr> <tr><td>12</td><td>12.70</td><td>17.78</td><td>21.84</td><td>19.24</td><td></td><td>54</td><td>66.04</td><td>71.12</td><td>75.18</td><td>72.58</td></tr> <tr><td>14</td><td>15.24</td><td>20.32</td><td>24.38</td><td>21.78</td><td></td><td>56</td><td>68.58</td><td>73.66</td><td>77.72</td><td>75.12</td></tr> <tr><td>16</td><td>17.78</td><td>22.86</td><td>26.92</td><td>24.32</td><td></td><td>58</td><td>71.12</td><td>76.20</td><td>80.26</td><td>77.66</td></tr> <tr><td>18</td><td>20.32</td><td>25.40</td><td>29.46</td><td>26.86</td><td></td><td>60</td><td>73.66</td><td>78.74</td><td>82.80</td><td>80.20</td></tr> <tr><td>20</td><td>22.86</td><td>27.94</td><td>32.00</td><td>29.40</td><td></td><td>62</td><td>76.20</td><td>81.28</td><td>85.34</td><td>82.74</td></tr> <tr><td>22</td><td>25.40</td><td>30.48</td><td>34.54</td><td>31.94</td><td></td><td>64</td><td>78.74</td><td>83.82</td><td>87.88</td><td>85.28</td></tr> <tr><td>24</td><td>27.94</td><td>33.02</td><td>37.08</td><td>34.48</td><td></td><td>66</td><td>81.28</td><td>86.36</td><td>90.42</td><td>87.82</td></tr> <tr><td>26</td><td>30.48</td><td>35.56</td><td>39.62</td><td>37.02</td><td></td><td>68</td><td>83.82</td><td>88.90</td><td>92.96</td><td>90.36</td></tr> <tr><td>28</td><td>33.02</td><td>38.10</td><td>42.16</td><td>39.56</td><td></td><td>70</td><td>86.36</td><td>91.44</td><td>95.50</td><td>92.90</td></tr> <tr><td>30</td><td>35.56</td><td>40.64</td><td>44.70</td><td>42.10</td><td></td><td>72</td><td>88.90</td><td>93.98</td><td>98.04</td><td>95.44</td></tr> <tr><td>32</td><td>38.10</td><td>43.18</td><td>47.24</td><td>44.64</td><td></td><td>80</td><td>99.06</td><td>104.14</td><td>108.20</td><td>105.60</td></tr> <tr><td>34</td><td>40.64</td><td>45.72</td><td>49.78</td><td>47.18</td><td></td><td>86</td><td>106.68</td><td>111.76</td><td>115.82</td><td>113.22</td></tr> <tr><td>36</td><td>43.18</td><td>48.26</td><td>52.32</td><td>49.72</td><td></td><td>92</td><td>114.30</td><td>119.38</td><td>123.44</td><td>120.84</td></tr> <tr><td>38</td><td>45.72</td><td>50.80</td><td>54.86</td><td>52.26</td><td></td><td>98</td><td>129.54</td><td>134.62</td><td>138.68</td><td>136.08</td></tr> <tr><td>40</td><td>48.26</td><td>53.34</td><td>57.40</td><td>54.80</td><td></td><td>100</td><td>124.46</td><td>129.54</td><td>133.60</td><td>131.00</td></tr> <tr><td>42</td><td>50.80</td><td>55.88</td><td>59.94</td><td>57.34</td><td></td><td>104</td><td>129.54</td><td>134.62</td><td>138.68</td><td>136.08</td></tr> <tr><td>44</td><td>53.34</td><td>58.42</td><td>62.48</td><td>59.88</td><td></td><td>110</td><td>137.16</td><td>142.24</td><td>146.30</td><td>143.70</td></tr> <tr><td>46</td><td>55.88</td><td>60.96</td><td>65.02</td><td>62.42</td><td></td><td>120</td><td>149.86</td><td>154.94</td><td>159.00</td><td>156.40</td></tr> </tbody> </table>									Circuits	A	B	C	D		Circuits	A	B	C	D	6	5.08	10.16	14.22	11.62		48	58.42	63.50	67.56	64.96	8	7.62	12.70	16.76	14.16		50	60.96	66.04	70.10	67.50	10	10.16	15.24	19.30	16.70		52	63.50	68.58	72.64	70.04	12	12.70	17.78	21.84	19.24		54	66.04	71.12	75.18	72.58	14	15.24	20.32	24.38	21.78		56	68.58	73.66	77.72	75.12	16	17.78	22.86	26.92	24.32		58	71.12	76.20	80.26	77.66	18	20.32	25.40	29.46	26.86		60	73.66	78.74	82.80	80.20	20	22.86	27.94	32.00	29.40		62	76.20	81.28	85.34	82.74	22	25.40	30.48	34.54	31.94		64	78.74	83.82	87.88	85.28	24	27.94	33.02	37.08	34.48		66	81.28	86.36	90.42	87.82	26	30.48	35.56	39.62	37.02		68	83.82	88.90	92.96	90.36	28	33.02	38.10	42.16	39.56		70	86.36	91.44	95.50	92.90	30	35.56	40.64	44.70	42.10		72	88.90	93.98	98.04	95.44	32	38.10	43.18	47.24	44.64		80	99.06	104.14	108.20	105.60	34	40.64	45.72	49.78	47.18		86	106.68	111.76	115.82	113.22	36	43.18	48.26	52.32	49.72		92	114.30	119.38	123.44	120.84	38	45.72	50.80	54.86	52.26		98	129.54	134.62	138.68	136.08	40	48.26	53.34	57.40	54.80		100	124.46	129.54	133.60	131.00	42	50.80	55.88	59.94	57.34		104	129.54	134.62	138.68	136.08	44	53.34	58.42	62.48	59.88		110	137.16	142.24	146.30	143.70	46	55.88	60.96	65.02	62.42		120	149.86	154.94	159.00	156.40	B
Circuits	A	B	C	D		Circuits	A	B	C	D																																																																																																																																																																																																																																																		
6	5.08	10.16	14.22	11.62		48	58.42	63.50	67.56	64.96																																																																																																																																																																																																																																																		
8	7.62	12.70	16.76	14.16		50	60.96	66.04	70.10	67.50																																																																																																																																																																																																																																																		
10	10.16	15.24	19.30	16.70		52	63.50	68.58	72.64	70.04																																																																																																																																																																																																																																																		
12	12.70	17.78	21.84	19.24		54	66.04	71.12	75.18	72.58																																																																																																																																																																																																																																																		
14	15.24	20.32	24.38	21.78		56	68.58	73.66	77.72	75.12																																																																																																																																																																																																																																																		
16	17.78	22.86	26.92	24.32		58	71.12	76.20	80.26	77.66																																																																																																																																																																																																																																																		
18	20.32	25.40	29.46	26.86		60	73.66	78.74	82.80	80.20																																																																																																																																																																																																																																																		
20	22.86	27.94	32.00	29.40		62	76.20	81.28	85.34	82.74																																																																																																																																																																																																																																																		
22	25.40	30.48	34.54	31.94		64	78.74	83.82	87.88	85.28																																																																																																																																																																																																																																																		
24	27.94	33.02	37.08	34.48		66	81.28	86.36	90.42	87.82																																																																																																																																																																																																																																																		
26	30.48	35.56	39.62	37.02		68	83.82	88.90	92.96	90.36																																																																																																																																																																																																																																																		
28	33.02	38.10	42.16	39.56		70	86.36	91.44	95.50	92.90																																																																																																																																																																																																																																																		
30	35.56	40.64	44.70	42.10		72	88.90	93.98	98.04	95.44																																																																																																																																																																																																																																																		
32	38.10	43.18	47.24	44.64		80	99.06	104.14	108.20	105.60																																																																																																																																																																																																																																																		
34	40.64	45.72	49.78	47.18		86	106.68	111.76	115.82	113.22																																																																																																																																																																																																																																																		
36	43.18	48.26	52.32	49.72		92	114.30	119.38	123.44	120.84																																																																																																																																																																																																																																																		
38	45.72	50.80	54.86	52.26		98	129.54	134.62	138.68	136.08																																																																																																																																																																																																																																																		
40	48.26	53.34	57.40	54.80		100	124.46	129.54	133.60	131.00																																																																																																																																																																																																																																																		
42	50.80	55.88	59.94	57.34		104	129.54	134.62	138.68	136.08																																																																																																																																																																																																																																																		
44	53.34	58.42	62.48	59.88		110	137.16	142.24	146.30	143.70																																																																																																																																																																																																																																																		
46	55.88	60.96	65.02	62.42		120	149.86	154.94	159.00	156.40																																																																																																																																																																																																																																																		
C										C																																																																																																																																																																																																																																																		
D										D																																																																																																																																																																																																																																																		
E										E																																																																																																																																																																																																																																																		
F										F																																																																																																																																																																																																																																																		
G	<table border="1"> <thead> <tr> <th>Rev.</th><th>Description</th><th>Date</th><th>Approved</th><th>Drawing</th><th>Name</th><th>Date</th><th colspan="4">  Central Components Manufacturing 440 Lincoln Blvd., Middlesex, New Jersey 08846 Phone 732 469-5720 888 288-5152 Fax 732 469-1919 </th></tr> </thead> <tbody> <tr> <td></td><td></td><td></td><td></td><td>Approved</td><td>Howard</td><td>07/07/06</td><td colspan="4" rowspan="3">Part No.: CCE-SB-XX-XX-X-GDXX-XX</td></tr> <tr> <td></td><td></td><td></td><td></td><td>Checked</td><td>Lizzy</td><td>07/07/06</td></tr> <tr> <td></td><td></td><td></td><td></td><td>Drawn</td><td>Tina</td><td>07/07/06</td></tr> <tr> <td></td><td></td><td></td><td></td><td>0.0 ± 0.35</td><td>0.00 ± 0.20</td><td>Angles ± 3'</td><td colspan="4" rowspan="2">Description: Card edge connector, 2.54mm x 5.08mm</td></tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td>UNIT: mm</td></tr> </tbody> </table>									Rev.	Description	Date	Approved	Drawing	Name	Date	 Central Components Manufacturing 440 Lincoln Blvd., Middlesex, New Jersey 08846 Phone 732 469-5720 888 288-5152 Fax 732 469-1919								Approved	Howard	07/07/06	Part No.: CCE-SB-XX-XX-X-GDXX-XX								Checked	Lizzy	07/07/06					Drawn	Tina	07/07/06					0.0 ± 0.35	0.00 ± 0.20	Angles ± 3'	Description: Card edge connector, 2.54mm x 5.08mm										UNIT: mm	G																																																																																																																																																																																												
Rev.	Description	Date	Approved	Drawing	Name	Date	 Central Components Manufacturing 440 Lincoln Blvd., Middlesex, New Jersey 08846 Phone 732 469-5720 888 288-5152 Fax 732 469-1919																																																																																																																																																																																																																																																					
				Approved	Howard	07/07/06	Part No.: CCE-SB-XX-XX-X-GDXX-XX																																																																																																																																																																																																																																																					
				Checked	Lizzy	07/07/06																																																																																																																																																																																																																																																						
				Drawn	Tina	07/07/06																																																																																																																																																																																																																																																						
				0.0 ± 0.35	0.00 ± 0.20	Angles ± 3'	Description: Card edge connector, 2.54mm x 5.08mm																																																																																																																																																																																																																																																					
						UNIT: mm																																																																																																																																																																																																																																																						
	1	2	3	4	5	6	7	8	9																																																																																																																																																																																																																																																			