


I. Winding details

No.	S - F	WIRE SIZE	WINDING TURNS	NOTE
N1	1-3	φ 0.25mm/2UEW×1P	4	

IV. Note


- 1.All material meet RoHS complaint .
- 2.All dimension are for reference only.




II. Electrical parameters

	Test Item	Test PIN	Specification value	Test condition	Test equipment
1	Inductance	1-3	THB	10KHz/50mV	LCZ bridge tester
2	DCR	1-3	THB	@25°C	TH251 DCR tester
3	Rated current		228mA max		
4	Storage conditions		-25 °C to 100 °C; 25/85/21		
5	Operating conditions		-25 °C to 130 °C; 25/85/21		

V. Electrical diagram



III. Dimension:mm



RoHS compliant

Rev.	Description	Date	Approved	Drawing	Name	Date
				Approved	Howard	11/14/16
				Checked	Lizzy	11/14/16
				Drawn	Tina	11/14/16
				0.0 ± 0.35	0.00 ± 0.20	Angles ± 3'
				UNIT: mm		

**Central Components Manufacturing**  
 440 Lincoln Blvd., Middlesex, New Jersey 08846  
 Phone 732 469-5720 888 288-5152 Fax 732 469-1919

Part No.: **IND-L1684A00D**

Description: Inductor

G

G